8-Channel Temperature Data Logger Part of the NOMAD® Family

OM-CP-OCTTEMP

Starts at



- Automatic Cold Junction Compensation
- ✓ Programmable Start Time
- **№** 8 Thermocouple Channels and 1 Ambient
- User Calibration through Software
- Automatic Thermocouple Linearization
- ✓ Miniature Size
- Real-Time Operation

The OM-CP-OCTTEMP is an 8-channel. battery-powered, stand-alone, thermocouple-based temperature data logger. This all-in-one compact, portable, easy to use device will measure and record up to 14,563 temperature measurements per channel. The OM-CP-OCTTEMP is a major leap forward in both size and performance. Its real-time clock ensures that all data is time and date stamped. The storage medium is non-volatile solid state memory, providing maximum data security even if the battery becomes discharged. The data logger's small size allows it to fit almost anywhere. Data retrieval is simple. Plug it into an available COM port and our easy-to-use software does the rest. The software converts your PC into a real-time strip chart recorder. Data can be printed in graphical or tabular format and can be exported to a text or Microsoft file.

Specifications

Internal Channel: 1

Temperature Accuracy: ±0.5°C (0 to 50°C)

Temperature Resolution: 0.1°C

Temperature Range: -20 to 60°C (-4 to 140°F)

Thermocouple Channels: 8

Thermocouple Input Types: J, K, T, E, R, S, B, N Thermocouple Connection: Subminiature female jack **Cold Junction Compensation:** Automatic

External Thermocouple Channel Accuracy*:

(uniform 20°C internal temperature):

J, K, T, E: ±0.5°C; R,S,B,N: ±2.5°C **Resolution:** J, K, T, E: 0.1°C; R, S, B, N: 0.5°C

optional Battery Life: 1 year typical Deg. F Date and Time 85.1 Jan 20, 200512:00:49 PM 85.1 Jan 20, 200512:00:51 PM 1519 1520 1521 1522 1523 1524 1525 OM-CP-IFC110, \$99, Windows software displays data in graphical or tabular format

Plug in

up to 8

probes

Temperature Measurement Range:

8 Channel Thermocouple Temperature Recorder

OE OMEGA

TC-1 TC-2 TC-3 TC-4

TC-5 TC-6 TC-7 TC-8 SN:

Type J: -210 to 760°C; K: -270 to 1370°C; T: -270 to 400°C; E: -270 to 980°C; R: -50 to 1760°C; S: -50 to 1760°C; N: -270 to 1300°C

OM-CP-OCTTEMP data logger, \$999, shown larger than actual size.

KTSS-HH probe sold separately, \$29.

Thermocouple Types: J. K. T. F. R. S. B. N

Made in U.S.A.

Communication: 2400 Baud

Temperature

Memory: 14,563 readings/channel

Temperature Calibration: Digital calibration

is available through software

Calibration Date: Automatically recorded within device

to alert user when calibration is required

Recording Interval: 5 sec to 12 hr selectable in software **Start Time:** Start time and date are programmable through software

Real-Time Recording: Device may be used with PC

to monitor and record data in real time

Power: 9 V lithium battery (included); 120 Vac power

Time Accuracy: ±1 min/month when RS-232 port is not in use Data Format: Date and time stamped, °C, °F, °K, °R, mV Computer Interface: PC serial, RS-232C COM or USB (interface cable required) Software: Win 95/98/NT/2000/XP

Operating Environment: -20 to 60°C (-4 to 140°F) 5 to 95% RH non-condensing

Dimensions:

38 H x 111 W x 89 mm D (1.5 x 4.4 x 3.5")

Weight: 450 g (16 oz)

Material: Black anodized aluminum AVAILABLE FOR FAST DELIVERY!

* Accuracy does not include errors due to thermocouple.

To Order (Specify Model Number)		
Model No.	Price	Description
OM-CP-OCTTEMP	\$999	8-Channel, thermocouple-based temperature data logger
OM-CP-OCTTEMP-CERT	1059	8-Channel, thermocouple-based temperature data logger with NIST calibration certificate
OM-CP-IFC110	99	Windows software and 1.2 m (4') RS-232 cable with DB9F termination
OM-CP-IFC200	119	Windows software and 3.7 m (12') USB interface cable
OM-CP-BAT103	20	Replacement 9 V lithium battery

Operator's manual and RS-232 cable are included with the OM-CP-IFC110. Windows software (required to operate the data logger) is sold separately. To order data loggers with optional 120 Vac power, add suffix "-AC" to model number and add \$100 to price.

Ordering Example: OM-CP-OCTTEMP-CERT, 8-channel, thermocouple-based temperature data logger with NIST calibration certificate,
OM-CP-IFC110, Windows software and RS-232 cable, \$1059 + 99 = \$1158. Your One-Stop Source for Process Measurement and Control!

One Omega Drive | Stamford, CT 06907 | 1-888-TC-OMEGA (1-888-826-6342) | info@omega.com

www.omega.com



UNITED STATES

www.omega.com 1-800-TC-OMEGA Stamford, CT.

CANADA

www.omega.ca Laval(Quebec) 1-800-TC-OMEGA

GERMANY

www.omega.de Deckenpfronn, Germany 0800-8266342

UNITED KINGDOM

www.omega.co.uk Manchester, England 0800-488-488

FRANCE

www.omega.fr Guyancourt, France 088-466-342

CZECH REPUBLIC

www.omegaeng.cz Karviná, Czech Republic 596-311-899

BENELUX

www.omega.nl Amstelveen, NL 0800-099-33-44



More than 100,000 Products Available!

Temperature

Calibrators, Connectors, General Test and Measurement Instruments, Glass Bulb Thermometers, Handheld Instruments for Temperature Measurement, Ice Point References, Indicating Labels, Crayons, Cements and Lacquers, Infrared Temperature Measurement Instruments, Recorders Relative Humidity Measurement Instruments, RTD Probes, Elements and Assemblies, Temperature & Process Meters, Timers and Counters, Temperature and Process Controllers and Power Switching Devices, Thermistor Elements, Probes and Assemblies, Thermocouples Thermowells and Head and Well Assemblies, Transmitters, Wire

Flow and Level

Air Velocity Indicators, Doppler Flowmeters, Level Measurement, Magnetic Flowmeters, Mass Flowmeters, Pitot Tubes, Pumps, Rotameters, Turbine and Paddle Wheel Flowmeters, Ultrasonic Flowmeters, Valves, Variable Area Flowmeters, Vortex Shedding Flowmeters

pH and Conductivity

Conductivity Instrumentation, Dissolved Oxygen Instrumentation, Environmental Instrumentation, pH Electrodes and Instruments, Water and Soil Analysis Instrumentation

Data Acquisition

Auto-Dialers and Alarm Monitoring Systems, Communication Products and Converters, Data Acquisition and Analysis Software, Data Loggers Plug-in Cards, Signal Conditioners, USB, RS232, RS485 and Parallel Port Data Acquisition Systems, Wireless Transmitters and Receivers

• Pressure, Strain and Force

Displacement Transducers, Dynamic Measurement Force Sensors, Instrumentation for Pressure and Strain Measurements, Load Cells, Pressure Gauges, Pressure Reference Section, Pressure Switches, Pressure Transducers, Proximity Transducers, Regulators, Strain Gages, Torque Transducers, Valves

Heaters

Band Heaters, Cartridge Heaters, Circulation Heaters, Comfort Heaters, Controllers, Meters and Switching Devices, Flexible Heaters, General Test and Measurement Instruments, Heater Hook-up Wire, Heating Cable Systems, Immersion Heaters, Process Air and Duct, Heaters, Radiant Heaters, Strip Heaters, Tubular Heaters